

Postoperative Rehabilitative Protocol Following Elbow Arthroscopy with Microfracture of OCD Lesion

Precautions:

- Excessive &/or aggressive motion first 5 days
- No excessive elbow loading through exercise for 4 months
- No weight bearing exercises or bench presses for 4-5 months
- No throwing for 6 months (unless specified by Physician)

I. Maximum Protection Phase (Weeks 1 to 6)

Goals: Restore full wrist and elbow ROM,
Decrease swelling & pain,
Promote healing of articular cartilage
Retardation or muscle atrophy

Days 1 to 5

Begin gently moving elbow in bulky dressing Remove bulky dressing and replace with gauze pads & elastic bandages Immediate post-op hand & wrist ROM, gripping exercises

Putty/grip strengthening
Wrist flexor stretching
Wrist extensor stretching
Elevate hand to reduce swelling
Continue light elbow AAROM exercises in bulky dressing (3-4 x daily)

Post-op Day 5 through 7

PROM & AAROM elbow extension & flexion (motion to tolerance) Begin PRE exercises with 1 lb weight

Wrist curls

Reverse wrist curls

Neutral wrist curls

Pronation/supination

Active elbow flexion & extension (frequent motion- 5min every hour)

Post-op Week 2 to 4

Emphasize elbow ROM and restoring full ROM
Begin light overpressure program into extension
Perform AAROM & PROM frequently during the day
to promote articular cartilage healing (5-10 min every hour)
Full PROM at end of week 4
Begin shoulder program week 2 to 3
Thrower's Ten Program week 4
Running program may begin week 4

Post-op Weeks 5 to 6

Continue all exercises above
Emphasis on restoration of full ROM
If lacking full extension – low load long duration (LLLD) stretching
Continue AAROM program for articular cartilage healing
Pool program – light exercises in water (once incisions close)



II. Moderate Protection Phase (Weeks 7-12)

Goals: Protect articular cartilage healing Promote articular cartilage healing Restore/maintain Full ROM Shoulder ROM & Strength

Weeks 7 -12

Continue AAROM & PROM exercises for elbow
Initiate light resistance for biceps & triceps
Continue Thrower's Ten Program
Stretching & ROM program for shoulder
Continue ROM exercises for elbow to promote articular cartilage healing
Perform elbow ROM exercises 10min every hour of the day
Core strengthening program
Still maintain precautions regarding loading of the elbow

III. Minimal Protection Phase (Weeks 13 -20)

Goals: Continue to promote articular cartilage healing Protect elbow against excessive loading Improve condition of entire UE & body

Weeks 13 to 20

Continue AAROM & PROM exercises (10 min – 10-12 x daily)
Thrower's Ten Program
ROM & Stretch Shoulder
Core Program
Running, agility drills etc
Precautions against excessive joint loading (weight bearing exercises,
Bench press, etc for 5 months)

IV. Gradual Return to Activity Phase (Weeks 21 & beyond)

Goals: Gradual return to activity/sport

Prepare patient for safe & successful return to sports

Weeks 21 -26

Continue Thrower's Ten Program
Continue stretching & flexibility exercises of elbow & shoulder
Initiate 2 hand light plyometrics at week 21

2 hand chest pass

2 hand soccer throw

2 hand side to side throws

Initiate 1 hand plyometric drills at week 23 to 24

1 hand throws

1 hand wall dribbles

Weeks 26 & >

- 1. Initiate interval throwing program at week 26 (Physician will determine)
 Phase I Program
- 2. Able to perform light machine bench press



- 3. Able to perform push ups at week 26-284. Initiate Interval hitting program

Month 7-8

Initiate Interval throwing program (Phase II, off the mound)

Month 9

Gradual return to competition